




**F.LLI GHIGGIA** s.r.l.

***BLOCCHI PER SOLAIO  
di qualità superiore***






TIPO	PESO (Kg)	IMBALLO			
		Tipo	N.Pezzi	Dimensioni (lxbxh) (cm)	Peso (q)

BLOCCHI GETTO IN OPERA	h 12 x 50 x 25	8,0	4 corsi	96	140 x 96 x 106	7,7
	h 16 x 50 x 25	10,4	4 corsi	72	140 x 96 x 106	7,4
			5 corsi	90	140 x 96 x 131	9,3
	h 18 x 50 x 25	10,9	4 corsi	72	140 x 108 x 106	7,8
			5 corsi	90	140 x 108 x 131	9,8
	h 20 x 50 x 25	11,3	4 corsi	60	140 x 100 x 106	6,8
			5 corsi	75	140 x 100 x 131	8,5
h 22 x 50 x 25	12,0	4 corsi	60	140 x 110 x 106	7,2	
h 25 x 50 x 25	13,5	4 corsi	48	140 x 100 x 106	6,5	

BLOCCHI INTERPOSTI	h 12 x 42 x 25	7,0	4 corsi	96	125 x 96 x 106	6,7
	h 16 x 42 x 25	10,0	4 corsi	72	125 x 96 x 106	7,2
			5 corsi	90	125 x 96 x 131	9,0
	h 18 x 42 x 25	10,4	4 corsi	72	125 x 108 x 106	7,5
			5 corsi	90	125 x 108 x 131	9,4
	h 20 x 42 x 25	10,8	4 corsi	60	125 x 100 x 106	7,5
			5 corsi	75	125 x 100 x 131	9,4
h 22 x 42 x 25	12,0	4 corsi	60	125 x 110 x 106	7,2	
h 24 x 42 x 25	13,5	4 corsi	48	125 x 96 x 106	6,5	

SPECIALI	sopralzo h 14	8,4	4 corsi	84	120 x 98 x 106	7,1
	ribassato h 9	6,0	4 corsi	120	125 x 90 x 106	7,2



Materiale reggettato su bancali in legno



**Stabilimento e Uffici:**  
**Via San Nicolao, 43 - 10037 TORRAZZA P. TE (TO)**  
**Tel. 011 9189506 - Fax 011 9180060**

